


(2008 – 2014)

1. Fine, J.D., Eady, R.A., Bauer, E.A., Bauer, J.W., Bruckner-Tuderman, L., Heagerty, A., Hintner, H., Hovnanian, A., Jonkman, M.F., Leigh, I., McGrath, J.A., Mellerio, J.E., Murrell, D.F., Shimizu, H., Uitto, J., Vahlquist, A., Woodley, D., and Zambruno, G. (2008). The classification of inherited epidermolysis bullosa (EB): Report of the Third International Consensus Meeting on Diagnosis and Classification of EB. *J. Am. Acad. Dermatol.* *58*, 931-950.
2. Kivisaari, A.K., Kallajoki, M., Mirtti, T., McGrath, J.A., Bauer, J.W., Weber, F., Konigova, R., Sawamura, D., Sato-Matsumura, K.C., Shimizu, H., Csikos, M., Sinemus, K., Beckert, W., and Kahari, V.M. (2008). Transformation-specific matrix metalloproteinases (MMP)-7 and MMP-13 are expressed by tumour cells in epidermolysis bullosa-associated squamous cell carcinomas. *Br. J. Dermatol.* *158*, 778-785.
3. Laimer, M., Onder, K., Schlager, P., Lanschuetzer, C.M., Emberger, M., Selhofer, S., Hintner, H., and Bauer, J.W. (2008). Nonsense-associated altered splicing of the Patched gene fails to suppress carcinogenesis in Gorlin syndrome. *Br. J. Dermatol.* *159*, 222-227.
4. Oender, K., Trost, A., Lanschuetzer, C., Laimer, M., Emberger, M., Breitenbach, M., Richter, K., Hintner, H., and Bauer, J.W. (2008). Cytokeratin-related loss of cellular integrity is not a major driving force of human intrinsic skin aging. *Mech. Ageing Dev.* *129*, 563-571.
5. Wally, V., Klausegger, A., Koller, U., Lochmuller, H., Krause, S., Wiche, G., Mitchell, L.G., Hintner, H., and Bauer, J.W. (2008). 5' trans-splicing repair of the PLEC1 gene. *J. Invest Dermatol.* *128*, 568-574.
6. Laimer, M., Lanschuetzer, C.M., Nischler, E., Klausegger, A., Diem, A., Pohla-Gubo, G., Bauer, J.W., and Hintner, H. (2009). [Hereditary blistering diseases. Symptoms, diagnosis and treatment of epidermolysis bullosa]. *Hautarzt* *60*, 378-388.
7. Laimer, M., Lanschuetzer, C.M., Emberger, M., Nischler, E., Stoiber, J., and Hintner, H. (2009). [Orogenital and conjunctival involvement in hereditary and autoimmune blistering diseases]. *Hautarzt* *60*, 881-890.
8. Nischler, E., Klausegger, A., Huttner, C., Pohla-Gubo, G., Diem, A., Bauer, J.W., and Hintner, H. (2009). Diagnostic pitfalls in newborns and babies with blisters and erosions. *Dermatol. Res. Pract.* *2009*, 320403.
9. Riedl, E., Klausegger, A., Bauer, J.W., Foedinger, D., and Kittler, H. (2009). A novel glycine mutation in the COL7A1 gene leading to dominant dystrophic epidermolysis bullosa with intra-familial phenotypical heterogeneity. *Pediatr. Dermatol.* *26*, 115-117.
10. Cepeda-Valdes, R., Pohla-Gubo, G., Borbolla-Escoboza, J.R., Barboza-Quintana, O., Ancer-Rodriguez, J., Hintner, H., and Salas-Alanis, J.C. (2010). [Immunofluorescence mapping for diagnosis of congenital epidermolysis bullosa]. *Actas Dermosifiliogr.* *101*, 673-682.
11. Haim, M., Trost, A., Maier, C.J., Achatz, G., Feichtner, S., Hintner, H., Bauer, J.W., and Onder, K. (2010). Cytokeratin 8 interacts with clumping factor B: a new possible virulence factor target. *Microbiology* *156*, 3710-3721.
12. Kivisaari, A.K., Kallajoki, M., Ala-Aho, R., McGrath, J.A., Bauer, J.W., Konigova, R., Medvecz, M., Beckert, W., Grenman, R., and Kahari, V.M. (2010). Matrix metalloproteinase-7 activates heparin-binding epidermal growth factor-like growth factor in cutaneous squamous cell carcinoma. *Br. J. Dermatol.* *163*, 726-735.
13. Laimer, M., Lanschuetzer, C.M., Diem, A., and Bauer, J.W. (2010). Herlitz junctional epidermolysis bullosa. *Dermatol. Clin.* *28*, 55-60.
14. Laimer, M., Kocher, T., Chiocchetti, A., Trost, A., Lottspeich, F., Richter, K., Hintner, H., Bauer, J.W., and Onder, K. (2010). Proteomic profiling reveals a catalogue of new candidate proteins for human skin aging. *Exp. Dermatol.* *19*, 912-918.
15. Lanschuetzer, C.M., Laimer, M., Nischler, E., and Hintner, H. (2010). Epidermolysis bullosa nevi. *Dermatol. Clin.* *28*, 179-183.
16. Pohla-Gubo, G., Cepeda-Valdes, R., and Hintner, H. (2010). Immunofluorescence mapping for the diagnosis of epidermolysis bullosa. *Dermatol. Clin.* *28*, 201-10, vii.

17. Pohla-Gubo,G. and Hintner,H. (2010). Epidermolysis bullosa care in Austria and the Epidermolysis Bullosa House Austria. *Dermatol. Clin.* 28, 415-20, xv.
18. Rid,R., Onder,K., Trost,A., Bauer,J., Hintner,H., Ritter,M., Jakab,M., Costa,I., Reischl,W., Richter,K., MacDonald,S., Jendrach,M., Bereiter-Hahn,J., and Breitenbach,M. (2010). H₂O₂-dependent translocation of TCTP into the nucleus enables its interaction with VDR in human keratinocytes: TCTP as a further module in calcitriol signalling. *J. Steroid Biochem. Mol. Biol.* 118, 29-40.
19. Rid,R., Onder,K., Hawranek,T., Laimer,M., Bauer,J.W., Holler,C., Simon-Nobbe,B., and Breitenbach,M. (2010). Isolation and immunological characterization of a novel *Cladosporium herbarum* allergen structurally homologous to the alpha/beta hydrolase fold superfamily. *Mol. Immunol.* 47, 1366-1377.
20. Trost,A., Costa,I., Jakab,M., Ritter,M., Haim,M., Hintner,H., Bauer,J.W., and Onder,K. (2010). K16 is a further new candidate for homotypic intermediate filament protein interactions. *Exp. Dermatol.* 19, e241-e250.
21. Trost,A., Desch,P., Wally,V., Haim,M., Maier,R.H., Reitsamer,H.A., Hintner,H., Bauer,J.W., and Onder,K. (2010). Aberrant heterodimerization of keratin 16 with keratin 6A in HaCaT keratinocytes results in diminished cellular migration. *Mech. Ageing Dev.* 131, 346-353.
22. Wally,V., Brunner,M., Lettner,T., Wagner,M., Koller,U., Trost,A., Murauer,E.M., Hainzl,S., Hintner,H., and Bauer,J.W. (2010). K14 mRNA reprogramming for dominant epidermolysis bullosa simplex. *Hum. Mol. Genet.* 19, 4715-4725.
23. Frew,J., Lim,S.W., Klausseger,A., Chow,C.W., Tran,K., Su,J., Orchard,D., Varigos,G., Sawamura,D., Nishie,W., Shimizu,H., and Murrell,D.F. (2011). Autosomal dominant bullous dermolysis of the newborn associated with a heterozygous missense mutation p.G1673R in type VII collagen. *Australas. J. Dermatol.* 52, e1-e4.
24. Gruber,C., Gratz,I.K., Murauer,E.M., Mayr,E., Koller,U., Bruckner-Tuderman,L., Meneguzzi,G., Hintner,H., and Bauer,J.W. (2011). Spliceosome-mediated RNA trans-splicing facilitates targeted delivery of suicide genes to cancer cells. *Mol. Cancer Ther.* 10, 233-241.
25. Klausseger,A., Nischler,E., Wagner,R.N., Pletschacher,F., Hintner,H., and Bauer,J.W. (2011). Seven novel mutations in the ATP2A2 gene of Austrian patients with Darier's disease. *Arch. Dermatol. Res.* 303, 371-374.
26. Kleewein,K., Lang,R., Diem,A., Vogel,T., Pohla-Gubo,G., Bauer,J.W., Hintner,H., and Laimer,M. (2011). Diffuse cutaneous mastocytosis masquerading as epidermolysis bullosa. *Pediatr. Dermatol.* 28, 720-725.
27. Knaup,J., Gruber,C., Krammer,B., Ziegler,V., Bauer,J., and Verwanger,T. (2011). TGFbeta-signaling in squamous cell carcinoma occurring in recessive dystrophic epidermolysis bullosa. *Anal. Cell Pathol. (Amst)* 34, 339-353.
28. Koller,U., Wally,V., Mitchell,L.G., Klausseger,A., Murauer,E.M., Mayr,E., Gruber,C., Hainzl,S., Hintner,H., and Bauer,J.W. (2011). A novel screening system improves genetic correction by internal exon replacement. *Nucleic Acids Res.* 39, e108.
29. Laimer,M., Pohla-Gubo,G., Kraus,L., Nischler,E., Bauer,J.W., Ahlgrimm-Siess,V., and Hintner,H. (2011). Autoimmune bullous diseases in Austria. *Dermatol. Clin.* 29, 691-698.
30. Murauer,E.M., Gache,Y., Gratz,I.K., Klausseger,A., Muss,W., Gruber,C., Meneguzzi,G., Hintner,H., and Bauer,J.W. (2011). Functional Correction of Type VII Collagen Expression in Dystrophic Epidermolysis Bullosa. *Journal of Investigative Dermatology* 131, 74-83.
31. Pohla-Gubo,G. and Hintner,H. (2011). Direct and indirect immunofluorescence for the diagnosis of bullous autoimmune diseases. *Dermatol. Clin.* 29, 365-72, vii.
32. Pohla-Gubo,G., Kraus,L., and Hintner,H. (2011). Role of immunofluorescence microscopy in dermatology. *G. Ital. Dermatol. Venereol.* 146, 127-142.
33. van den Akker,P.C., Jonkman,M.F., Rengaw,T., Bruckner-Tuderman,L., Has,C., Bauer,J.W., Klausseger,A., Zambruno,G., Castiglia,D., Mellerio,J.E., McGrath,J.A., van Essen,A.J., Hofstra,R.M., and Swertz,M.A. (2011). The international dystrophic epidermolysis bullosa patient registry: an online database of dystrophic epidermolysis bullosa patients and their COL7A1 mutations. *Hum. Mutat.* 32, 1100-1107.

34. Yiu,E.M., Klausegger,A., Waddell,L.B., Grasern,N., Lloyd,L., Tran,K., North,K.N., Bauer,J.W., McKelvie,P., Chow,C.W., Ryan,M.M., and Murrell,D.F. (2011). Epidermolysis bullosa with late-onset muscular dystrophy and plectin deficiency. *Muscle Nerve* 44, 135-141.
35. Ettinger,M., Peckl-Schmid,D., Gruber,C., Laimer,M., Thalhamer,J., Hintner,H., Gratz,I.K., and Bauer,J.W. (2012). Transcutaneous gene gun delivery of hNC16A Induces BPAG2-specific tolerance. *J. Invest Dermatol.* 132, 1665-1671.
36. Ettinger,M., Gratz,I.K., Gruber,C., Hauser-Kronberger,C., Johnson,T.S., Mahnke,K., Thalhamer,J., Hintner,H., Peckl-Schmid,D., and Bauer,J.W. (2012). Targeting of the hNC16A collagen domain to dendritic cells induces tolerance to human type XVII collagen. *Exp. Dermatol.* 21, 395-398.
37. Klausegger,A., Wiednig,M., Urban,C., Lackner,H., Reiter,H., Bauer,J.W., and Aberer,W. (2012). Successful allogeneic cord blood transplantation in a patient with Evans syndrome leads to correction of hereditary angioedema type I as secondary effect. *Bone Marrow Transplant.* 47, 1259-1261.
38. Knaup,J., Verwanger,T., Gruber,C., Ziegler,V., Bauer,J.W., and Krammer,B. (2012). Epidermolysis bullosa - a group of skin diseases with different causes but commonalities in gene expression. *Exp. Dermatol.* 21, 526-530.
39. Maier,C.J., Maier,R.H., Rid,R., Trost,A., Hundsberger,H., Eger,A., Hintner,H., Bauer,J.W., and Onder,K. (2012). PIM-1 kinase interacts with the DNA binding domain of the vitamin D receptor: a further kinase implicated in 1,25-(OH)2D3 signaling. *BMC. Mol. Biol.* 13, 18.
40. Shaiq,P.A., Klausegger,A., Muzaffar,F., Bauer,J.W., Khan,M.I., Khanum,A., Qamar,R., and Raja,G.K. (2012). Founder mutation c.676insC in three unrelated Kindler syndrome families belonging to a particular clan from Pakistan. *J. Dermatol.* 39, 640-641.
41. Shaiq,P.A., Klausegger,A., Bauer,J.W., Azam,M., Raja,G.K., and Qamar,R. (2012). Compound heterozygous mutations p.Q1530X and 6103delG in COL7A1 causing recessive dystrophic epidermolysis bullosa in a Pakistani family. *J. Dermatol.* 39, 472-474.
42. Wagner,M., Hintner,H., Bauer,J.W., and Onder,K. (2012). Gene expression analysis of an epidermolysis bullosa simplex Dowling-Meara cell line by subtractive hybridization: recapitulation of cellular differentiation, migration and wound healing. *Exp. Dermatol.* 21, 111-117.
43. Wagner,M., Rid,R., Maier,C.J., Maier,R.H., Laimer,M., Hintner,H., Bauer,J.W., and Onder,K. (2012). DDX5 is a multifunctional co-activator of steroid hormone receptors. *Mol. Cell Endocrinol.* 361, 80-91.
44. Wertheim-Tysarowska,K., Sobczynska-Tomaszewska,A., Kowalewski,C., Kutkowska-Kazmierczak,A., Wozniak,K., Niepokoj,K., Klausegger,A., Sypniewska-Jutkiewicz,J., Stepień,A., and Bał,J. (2012). Novel and recurrent COL7A1 mutation in a Polish population. *Eur. J. Dermatol.* 22, 23-28.
45. Bauer,J.W., Brandl,C., Haubenreisser,O., Wimmer,B., Weber,M., Karl,T., Klausegger,A., Breitenbach,M., Hintner,H., von der,H.T., Tuite,M.F., and Breitenbach-Koller,L. (2013). Specialized yeast ribosomes: a customized tool for selective mRNA translation. *PLoS One* 8, e67609.
46. Gruber,C., Koller,U., Muraier,E.M., Hainzl,S., Huttner,C., Kocher,T., South,A.P., Hintner,H., and Bauer,J.W. (2013). The design and optimization of RNA trans-splicing molecules for skin cancer therapy. *Mol. Oncol.*
47. Klausegger,A., Laimer,M., and Bauer,J.W. (2013). [Darier disease]. *Hautarzt* 64, 22-25.
48. Lettner,T., Lang,R., Klausegger,A., Hainzl,S., Bauer,J.W., and Wally,V. (2013). MMP-9 and CXCL8/IL-8 Are Potential Therapeutic Targets in Epidermolysis Bullosa Simplex. *PLoS One* 8, e70123.
49. Muraier,E.M., Koller,U., Hainzl,S., Wally,V., and Bauer,J.W. (2013). A reporter-based screen to identify potent 3' trans-splicing molecules for endogenous RNA repair. *Hum. Gene Ther. Methods* 24, 19-27.
50. Pohla-Gubo,G. and Hintner,H. (2013). EB-Clinet als möglicher Ausgangspunkt für ein European Reference Network (ERN). *Klinik Okt* 2013, 62-63.
51. Pohla-Gubo,G. (2013). Acht Jahre EB-Haus Austria. *Medizin in Salzburg* 11+12, 30-33.
52. Wagner,M., Trost,A., Hintner,H., Bauer,J.W., and Onder,K. (2013). Imbalance of intermediate filament component keratin 14 contributes to increased stress signalling in epidermolysis bullosa simplex. *Exp. Dermatol.* 22, 292-294.

53. Wally,V., Kitzmueller,S., Lagler,F., Moder,A., Hitzl,W., Wolkersdorfer,M., Hofbauer,P., Felder,T.K., Dornauer,M., Diem,A., Eiler,N., and Bauer,J.W. (2013). Topical diacerein for epidermolysis bullosa: a randomized controlled pilot study. *Orphanet. J. Rare. Dis.* 8, 69.
54. Wally,V., Lettner,T., Peking,P., Peckl-Schmid,D., Murauer,E.M., Hainzl,S., Hintner,H., and Bauer,J.W. (2013). The pathogenetic role of IL-1beta in severe epidermolysis bullosa simplex. *J. Invest Dermatol.* 133, 1901-1903.